Annual Indexes

Volume 9—October 1979 to July 1980

1. Subject Index

A

Alkaline earth-containing mixed oxide thermionic emission materials, The dissociative vaporization of 240
Aluminum oxide discharge tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the sintered 233
American National Standard Nomenclature and Definitions for Illuminating Engineering (Proposed revision of Z7.1-R1973), Proposed 2
Analysis of Equivalent Sphere Illumination for arbitrary target orientation, On the 69
Application and effects in low-pressure gas discharge lamps, Three different recombination structures 134
Applications, Improved mercury lamp for low color temperature 109

B

Ballast, A new energy efficient fluorescent lamp 130

C

Calculating the effects of daylight from clear skies, A simplified procedure for 142
Calculations, On a new technique for interreflected component 53
Coiled coil filaments, Electrical, thermal, and luminous properties of .. 102
Color temperature applications, Improved mercury lamp for low 109
Committee Reports
- Proposed American National Standard Nomenclature and Definitions for Illuminating Engineering (Proposed revision of Z7.1-R1973) 2
- Selection of illuminance values for interior lighting design (RQQ Report No. 6) 188
- The selection, care, and use of electrical instruments in the photometric laboratory (Revision) ... 77

Component calculations, On a new technique for interreflected 53

D

Daylight from clear skies, A simplified procedure for calculating the effects of 142
Design (RQQ Report No. 6), Selection of illuminance values for interior lighting 188
Direct reading ESI meter for field use, A practical 247
Discharge tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the sintered aluminum oxide 233
Discussion of previously published paper 60
Dissociative vaporization of alkaline earth-containing mixed oxide thermionic emission materials, The 240

E

Earth-containing mixed oxide thermionic emission materials, The dissociative vaporization of alkaline ... 240
Effect of outer jacket gases on the performance of high pressure sodium (HPS) lamps, The 175
Effects of daylight from clear skies, A simplified procedure for calculating the 142
Electrical instruments in the photometric laboratory (Revision), The selection, care, and use of 77
Electrical, thermal, and luminous properties of coiled coil filaments 102
Emission materials, The dissociative vaporization of alkaline earth-containing mixed oxide thermionic ... 240
Empirical representation of reflection from rough surfaces—Part 1, An .. 88
Empirical representation of reflection from rough surfaces—Part 2, An .. 95
Energy efficient fluorescent lamp ballast, A new 130
Energy lamp-ballast system, Improved 35-W low 181
Equivalent Sphere Illumination for arbitrary target orientation, On the analysis of 69
ESI formulation, A simplified 66
ESI meter for field use, A practical direct reading 247
Evaporation studies of the sintered aluminum oxide discharge tubes used in high pressure (HPS) lamps 233

F

Filaments, Electrical, thermal, and luminous properties of coiled coil . 102
Fluorescent lamp ballast, A new energy efficient 130

G

Gas discharge lamps, Three different recombination structures: Application and effects in low-pressure ... 134
Gases on the performance of high pressure sodium (HPS) lamps, The effect of outer jacket 175
Gettering hydrogen, In-situ evaluation of high pressure sodium (HPS) lamp capacity for 194

H

High pressure sodium (HPS) lamp capacity for gettering hydrogen, In-situ evaluation of 194
High pressure sodium (HPS) lamps, Evaporation studies of the sintered aluminum oxide discharge tube used in 233
High pressure sodium (HPS) lamps, The effect of outer jacket gases on the performance of 175
Hydrogen, In-situ evaluation of high pressure sodium (HPS) lamp capacity for gettering 194

I

IERI Reports
- Individual responses to lighting parameters for a population of 235 observers of varying ages 205
- Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon visual performance 158

Illuminance values for interior lighting design (RQQ Report No. 6), Selection of 188
Improved 35-W low energy lamp-ballast system 181
Incandescent lamps, Radiation–conserving 197
Individual responses to lighting parameters for a population of 235 observers of varying ages 205
In-situ evaluation of high pressure sodium (HPS) lamp capacity for gettering hydrogen 194
Interior lighting design (RQQ Report No. 6), Selection of illuminance values for 188
Interreflected component calculations, On a new technique for 53

L

Laboratory (Revision), The selection, care, and use of electrical instruments in the photometric 77
Lamp ballast, A new energy efficient fluorescent 130
Lamp-ballast system, Improved 35-W low energy 181
Lamp for low color temperature applications, Improved mercury 109
Lamps, Evaporation studies of the sintered aluminum oxide discharge tubes used in high pressure sodium (HPS) 233
Lamps, Radiation–conserving incandescent 197
Lamp testing, New approaches in ... 152
Lamps, The effect of outer jacket gases on the performance of high pressure sodium (HPS) 175
Lamps, Three different recombination structures: Application and effects in low-pressure gas discharge 134
Lighting parameters for a population of 235 observers of varying ages, Individual responses to 205
Low energy lamp-ballast system, Improved 35-W 181
Low-pressure gas discharge lamps, Three different recombination structures: Application and effects in 134
Luminaires, Vibration testing of 115
Luminous properties of coiled coil filaments, Electrical, thermal, and 102

M

Mercury lamp for low color temperature applications, Improved 109

Annual Indexes

Volume 9—October 1979 to July 1980

1. Subject Index

A

Alkaline earth-containing mixed oxide thermionic emission materials, The dissociative vaporization of 240
Aluminum oxide discharge tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the sintered 233
American National Standard Nomenclature and Definitions for Illuminating Engineering (Proposed revision of Z7.1-R1973), Proposed 2
Analysis of Equivalent Sphere Illumination for arbitrary target orientation, On the 69
Application and effects in low-pressure gas discharge lamps, Three different recombination structures 134
Applications, Improved mercury lamp for low color temperature 109

B

Ballast, A new energy efficient fluorescent lamp 130

C

Calculating the effects of daylight from clear skies, A simplified procedure for 142
Calculations, On a new technique for interreflected component 53
Coiled coil filaments, Electrical, thermal, and luminous properties of .. 102
Color temperature applications, Improved mercury lamp for low 109
Committee Reports
- Proposed American National Standard Nomenclature and Definitions for Illuminating Engineering (Proposed revision of Z7.1-R1973) 2
- Selection of illuminance values for interior lighting design (RQQ Report No. 6) 188
- The selection, care, and use of electrical instruments in the photometric laboratory (Revision) ... 77

Component calculations, On a new technique for interreflected 53

D

Daylight from clear skies, A simplified procedure for calculating the effects of 142
Design (RQQ Report No. 6), Selection of illuminance values for interior lighting 188
Direct reading ESI meter for field use, A practical 247
Discharge tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the sintered aluminum oxide 233
Discussion of previously published paper 60
Dissociative vaporization of alkaline earth-containing mixed oxide thermionic emission materials, The 240

E

Earth-containing mixed oxide thermionic emission materials, The dissociative vaporization of alkaline ... 240
Effect of outer jacket gases on the performance of high pressure sodium (HPS) lamps, The 175
Effects of daylight from clear skies, A simplified procedure for calculating the 142
Electrical instruments in the photometric laboratory (Revision), The selection, care, and use of 77
Electrical, thermal, and luminous properties of coiled coil filaments 102
Emission materials, The dissociative vaporization of alkaline earth-containing mixed oxide thermionic ... 240
Empirical representation of reflection from rough surfaces—Part 1, An .. 88
Empirical representation of reflection from rough surfaces—Part 2, An .. 95
Energy efficient fluorescent lamp ballast, A new 130
Energy lamp-ballast system, Improved 35-W low 181
Equivalent Sphere Illumination for arbitrary target orientation, On the analysis of 69
ESI formulation, A simplified 66
ESI meter for field use, A practical direct reading 247
Evaporation studies of the sintered aluminum oxide discharge tubes used in high pressure (HPS) lamps 233

F

Filaments, Electrical, thermal, and luminous properties of coiled coil . 102
Fluorescent lamp ballast, A new energy efficient 130

G

Gas discharge lamps, Three different recombination structures: Application and effects in low-pressure ... 134
Gases on the performance of high pressure sodium (HPS) lamps, The effect of outer jacket 175
Gettering hydrogen, In-situ evaluation of high pressure sodium (HPS) lamp capacity for 194

H

High pressure sodium (HPS) lamp capacity for gettering hydrogen, In-situ evaluation of 194
High pressure sodium (HPS) lamps, Evaporation studies of the sintered aluminum oxide discharge tube used in 233
High pressure sodium (HPS) lamps, The effect of outer jacket gases on the performance of 175
Hydrogen, In-situ evaluation of high pressure sodium (HPS) lamp capacity for gettering 194

I

IERI Reports
- Individual responses to lighting parameters for a population of 235 observers of varying ages 205
- Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon visual performance 158

Illuminance values for interior lighting design (RQQ Report No. 6), Selection of 188
Improved 35-W low energy lamp-ballast system 181
Incandescent lamps, Radiation–conserving 197
Individual responses to lighting parameters for a population of 235 observers of varying ages 205
In-situ evaluation of high pressure sodium (HPS) lamp capacity for gettering hydrogen 194
Interior lighting design (RQQ Report No. 6), Selection of illuminance values for 188
Interreflected component calculations, On a new technique for 53

L

Laboratory (Revision), The selection, care, and use of electrical instruments in the photometric 77
Lamp ballast, A new energy efficient fluorescent 130
Lamp-ballast system, Improved 35-W low energy 181
Lamp for low color temperature applications, Improved mercury 109
Lamps, Evaporation studies of the sintered aluminum oxide discharge tubes used in high pressure sodium (HPS) 233
Lamps, Radiation–conserving incandescent 197
Lamp testing, New approaches in ... 152
Lamps, The effect of outer jacket gases on the performance of high pressure sodium (HPS) 175
Lamps, Three different recombination structures: Application and effects in low-pressure gas discharge 134
Lighting parameters for a population of 235 observers of varying ages, Individual responses to 205
Low energy lamp-ballast system, Improved 35-W 181
Low-pressure gas discharge lamps, Three different recombination structures: Application and effects in 134
Luminaires, Vibration testing of 115
Luminous properties of coiled coil filaments, Electrical, thermal, and 102

M

Mercury lamp for low color temperature applications, Improved 109

N

New approaches in lamp testing 152
Nomenclature and Definitions for Illuminating Engineering (Proposed revision of Z7.1-R1973), Proposed American National Standard 2

O

Orientation, On the analysis of Equivalent Sphere Illumination for arbitrary target 69
Outer jacket gases on the performance of high pressure sodium (HPS) lamps, The effect of 175
Oxide discharge tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the sintered aluminum 233
Oxide thermionic emission materials, The dissociative vaporization of alkaline earth-containing mixed 240

P

Performance of high pressure sodium (HPS) lamps, The effect of outer jacket gases on the 175
Performance, Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon visual 158
Photometric laboratory (Revision), The selection, care, and use of electrical instruments in the 77
Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon visual performance 158
Population of 235 observers of varying ages, Individual responses to lighting parameters for a 205

R

Radiation-conserving incandescent lamps 197
Reflection from rough surfaces—Part 1, An empirical representation of 88
Reflection from rough surfaces—Part 2, An empirical representation of 95
Rough surfaces—Part 1, An empirical representation of reflection from 88
Rough surfaces—Part 2, An empirical representation of reflection from 95

S

Selection of Illuminance values for interior lighting design (RQQ Report No. 6) 188
Simplified procedure for calculating the effects of daylight from clear skies, A 142
Sintered aluminum oxide discharge tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the 233
Skies, A simplified procedure for calculating the effects of daylight from clear 142
Surfaces—Part 1, An empirical representation of reflection from rough 88
Surfaces—Part 2, An empirical representation of reflection from rough 95
System, Improved 35-W low energy lamp-ballast 181

T

Target orientation, On the analysis of Equivalent Sphere Illumination for arbitrary 69
Temperature applications, Improved mercury lamp for low color 109
Testing, New approaches in lamp ... 152
Thermal, and luminous properties of coiled coil filaments, Electrical ... 102
Thermionic emission materials, The dissociative vaporization of alkaline earth-containing mixed oxide 240
Three different recombination structures: Application and effects in low-pressure gas discharge lamps 134
Tubes used in high pressure sodium (HPS) lamps, Evaporation studies of the sintered aluminum oxide discharge 233

U

Uniformity, The price of 47

V

Values for interior lighting design (RQQ Report No. 6), Selection of illuminance 188
Vaporization of alkaline earth-containing mixed oxide thermionic emission materials, The dissociative 240
Vibration testing of luminaires 115
Visual performance, Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon 158

2. Author Index

B

Berlec, I.—Electrical, thermal, and luminous properties of coiled coil filaments 102
Bhalla, R. S.—The dissociative vaporization of alkaline earth-containing mixed oxide thermionic emission materials 240
Blackwell, H. R.—Individual responses to lighting parameters for a population of 235 observers of varying ages 205
Blackwell, H. R.—Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon visual performance 158
Blackwell, O. M.—Individual responses to lighting parameters for a population of 235 observers of varying ages 205
Blackwell, O. M.—Population data for 140 normal 20–30 year olds for use in assessing some effects of lighting upon visual performance 158
Brett, J.—Radiation-conserving incandescent lamps 197
Bryan, H. J.—A simplified procedure for calculating the effects of daylight from clear skies 142

C

Campbell, R. J.—Evaporation studies of the sintered aluminum oxide discharge tubes used in high pressure sodium (HPS) lamps 233

D

Daigneault, A. J.—Improved mercury lamp for low color temperature applications 109
DiLaura, D. L.—On a new technique for interreflected component calculations 53
Dobras, Q. D.—Improved 35-W low energy lamp-ballast system 181
Duggan, G. L.—New approaches in lamp testing 152

E

Einhorn, H. D.—A simplified ESI formulation 66
Elms, R. T.—A new energy efficient fluorescent lamp ballast 130
Engel, J. C.—A new energy efficient fluorescent lamp ballast 130
Ewing, J. L.—The price of uniformity 47

F

Fontana, R. P.—Radiation-conserving incandescent lamps 197
Fortucci, P. L.—The effect of outer jacket gases on the performance of high pressure sodium (HPS) lamps 175

G

Green, J.—A practical direct reading ESI meter for field use 247

H

Hammer, E. E.—Improved 35-W low energy lamp-ballast system 181
Hanson, R. E.—A new energy efficient fluorescent lamp ballast 130
Hasker, J.—Three different recombination structures: Application and effects in low-pressure gas discharge lamps 134
Hauser, G.—On the analysis of Equivalent Sphere Illumination (ESI) for arbitrary target orientation 69
Hirayama, C.—The dissociative vaporization of alkaline earth-containing mixed oxide thermionic emission materials 240

K

Kroontje, W.—Evaporation studies of the sintered aluminum oxide discharge tubes used in high pressure sodium (HPS) lamps 233

M

Meyer, V. D.—The effect of outer jacket gases on the performance of high pressure sodium (HPS) lamps 175
Moon, P.—An empirical representation of reflection from rough surfaces—Part 1 88
Moon, P.—An empirical representation of reflection from rough surfaces—Part 2 95

P

Parascandola, L. J.—Radiation-conserving incandescent lamps 197
Passmore, E. M.—New approaches in lamp testing 152

R

Riesland, D. H.—Improved 35-W low energy lamp-ballast system 181

S

Spencer, D. E.—An empirical representation of reflection from rough surfaces—Part 1 88
Spencer, D. E.—An empirical representation of reflection from rough surfaces—Part 2 95
Spura, S. A.—Radiation-conserving incandescent lamps 197
Stephens, K. K.—New approaches in lamp testing 152

T

Thorington, L.—Radiation-conserving incandescent lamps 197
Thouret, W. E.—Radiation-conserving incandescent lamps 197

V

Van Dusen, H. A.—Vibration testing of luminaires 115
Van IJzendoorn, P. R.—Three different recombination structures: Application and effects in low-pressure gas discharge lamps 134

W

Walsh, P. J.—Radiation-conserving incandescent lamps 197
Ward, P. C.—In-situ evaluation of high pressure sodium (HPS) lamp capacity for gettering hydrogen 194
Wyner, E. F.—Improved mercury lamp for low color temperature applications 109
Wyner, E. F.—The effect of outer jacket gases on the performance of high pressure sodium (HPS) lamps 175